

# **SKYTEC**<sup>®</sup> **UTAH**<sup>™</sup>

# NITRILE, POWDER-FREE, SINGLE USE PROTECTION

High performance, powder-free, nitrile single use disposable glove. Significantly stronger alternative to latex and food safe.

## FEATURES

- > Significantly stronger alternative to latex
- > Comfortable with a 'second skin' feel
- > Resistant to oils, acids and many chemicals
- Textured finish on fingertips for improved grip and touch
- > Powder-free, non-sterile
- > AQL 1.5
- > Approved for food handling
- > Latex free ideal for people with a type I latex sensitivity
- > Conforms to ASTM D6319-10 and D6124-06







# SUITABLE FOR

VENDING MACHINE

i-c⊗n'

### **Typical Industries**

- Aerospace
- Chemical
- Electronics
- Food
- Pharmaceutical
- Manufacturing
  Oil and Case
- Oil and Gas

# Suitable Applications

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying

# CERTIFICATION





See overleaf for explanation



# **SKYTEC**<sup>®</sup> **UTAH**<sup>™</sup>

#### **PRODUCT INFORMATION**

MATERIALS	LINER:	Nitrile
	COATING:	NA
COLOUR		
LENGTH (mm)		
CUFF STYLE	Beaded	

#### **ORDERING DETAILS**

SIZE	CODE	PACKAGING
6½-7/S 7½-8/M 8½-9/L 9½-10/XL 10½ - 11/XXL	SKYUTAH1 SKYUTAH2 SKYUTAH3 SKYUTAH4 SKYUTAH5	100 singles per box 10 boxes per case

#### **RECOMMENDATIONS FOR USE**

- USE: Single use glove. Not suitable for thermal, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE : Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

## **CERTIFICATION LEGENDS**

CODE

R

D

G H



#### RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE

M N

0

S

CHEMICAL
n-Heptane
Sodium hydroxide 40%
Sulphuric acid 96%
65% Nitric acid
99% Acetic acid
25% Ammonium hydroxid
30% Hydrogen peroxide
40% Hydrofluoric acid
37% Formaldehyde

TYPE OF GLOVES	BREAKTHROUGH TIME
А	≥30 min for at least 6 chemicals
В	≥30 min for at least 3 chemicals
С	≥10 min for at least 1 chemical



PROTECTION AGAINST MICRO-ORGANISMS EN 374-5 VIRUS = Glove has passed ISO 16604: 2004 (method B)

CHEMICAL

Methanol Acetone

Acetonitrile

Toluene

Diethylamine

Dichloromethane Carbon Disulfide

Tetrahydrofurane Ethyl acetate



## FOOD CONTACT DIRECTIVE 2002 / 72 EC

#### **EUROPE**

#### www.globusgroup.com

- E: sales@globus.co.uk
- T: +44 (0)161 877 4747
- F: +44 (0)161 877 4746

#### **MIDDLE EAST AND AFRICA**

#### www.globusgroup.com/gcc

- E: gcc@globusgroup.com
- **T:** +971 4 882 9962
- F: +971 4 882 9963

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES Globus

©2020 Globus (Shetland) Ltd | SKY-DATA-UTAH-0520\_1

EU Type-Examination Certificate issued by SATRA Technology Europe Limited. Bracetown Business Park. Clonee. D15YN2P. Republic of Ireland. (Notified Body No. 2777)